



 **10.1" Tablet
Windows 10**

Key features

- ◆ MIL-STD 810G tested, 5ft/1.5m drop proof
- ◆ IP65, one-meter tumble test
- ◆ Hot swap battery, integrated 10800mAh battery pack
- ◆ Windows® 10 IoT Enterprise
- ◆ Firmware TPM 2.0
- ◆ 10/100 Ethernet port
- ◆ Optional fingerprint
- ◆ Optional vehicle dock, office dock, battery charger
- ◆ Optional briefcase handle, stylus, hand strap
- ◆ Optional 4G LTE multi carrier mobile broadband
- ◆ Optional RFID/NFC and 2D Honeywell barcode readers for data acquisition

 Available in Android 9.1 (RT101A)



OS

- ◆ Windows® 10

CPU

- ◆ Intel® Atom™ X5-Z8550 Processor, 1,44 Ghz Quad Core

GPU

- ◆ NA

Memory

- ◆ LPDDR3 4GB on board, MAX support 8G
- ◆ 64GB / 128GB eMMC

Display

- ◆ 10.1' WUXGA 1200x1920 IPS 470 nits (Typ)

RF

- ◆ 4G LTE (optional)
- ◆ GPS (onboard)
- ◆ Wi-Fi 802.11a/b/g/n/AC
- ◆ Bluetooth® 4.1

Camera

- ◆ 2Mp front camera
- ◆ 8Mp rear camera, autofocus, flash

Control Button

- ◆ Power
- ◆ Volume +/-
- ◆ Reset home
- ◆ Barcode scanner trigger

Sensor & Data Collection

- ◆ Optional 1D/2D Barcode reader
- ◆ 9 Axis MEMS sensor (Accelerometer, eCompass, Gyroscope)
- ◆ Ambient Light Sensor
- ◆ Proximity Sensor

Power Adapter

- ◆ AC 19V / 3.42A

Battery

- ◆ Lithium-Ion Polymer 3.7V, 10800 mAh/40Wh
- ◆ Backup battery
- ◆ Hotswappable external battery
- ◆ Battery operation: up to 8.5 hours

Audio

- ◆ 3.5 mm audio Jack
- ◆ 1 Digital microphone
- ◆ 2 integrated speaker

I/O Interface

- ◆ Docking connector
- ◆ Full size USB 3.0 x1
- ◆ Full size USB 2.0 x1
- ◆ Replaceable DC jack
- ◆ Micro HDMI
- ◆ 3.5mm Audio jack
- ◆ SIM card Reader
- ◆ Micro SDXC Card reader
- ◆ Reset hole

Dimensions Weight Protection

- ◆ 13.72'x7.56'x0.86' (283.4 mm x 192 mm x 21.9 mm)
- ◆ 1300 g

Durability

- ◆ MIL-STD-810G (Multiple 5' /1.5 m drops)
- ◆ 26 times all corners and sides with single tablet while operating'
- ◆ IP65
- ◆ 500 times x 1m tumble test
- ◆ Steel ball drop test, 25mm diameter rounded end steel weight of 250 gm from 50 cm w/screen protector
- ◆ Glass screen protector

Environmental

- ◆ Operating temperature : -10°C to +50°C
- ◆ Storage temperature: -20°C to +60°C

Security

- ◆ Optional Integrated Fingerprint reader
- ◆ Trusted Platform Module [TPM 2.0]
- ◆ Optional NFC/ RFID
- ◆ Kensington cable lock slot

Warranty

- ◆ «Continuité» warranty extension total 3 years (return workshops, repair within 10 working days upon receipt of the material - without breakages)
- ◆ «Confort» Contract 3 years, full service contract (return workshops, repair within 5 working days upon receipt of the material - with breakages)

Software

- ◆ NA

Accessories



Harness carrying case
AT-CART10105



Battery 10800 mA
AT-CART10102



4 slots batteries charger
AT-CART8010



Carry handle
AT-CART8007



Hand strap
AT-CART10103



Capacitive stylus
AT-CART8009



Cigarette light adapter
AT-CART8012



Destock Dock
AT-CART8001B



Vehicle Dock
AT-CART10101



Protective screen
AT-CART10104



SNAP-ON
AT-CART8005



Plaque VESA
AT-CART8015



Shoulder strap
AT-CAE1207